

USB & Wi-Fi Digital CAMERA (C-mount) for Optical Instruments & Devices

Code: MICFIEYE



MICFIEYE is a USB & Wi-Fi camera with C-mount and allows to digitalize the image on tablets, smartphones and Pc using dedicaded Apps and Softwares that allow to capture photo, video and measurement (only when the camera is connected with a optical microscope). MICFIEYE is compatible with all optical devices such as microscopes, endoscopes, boroscopes, fiberscopes, c-mount lenses etc.

Main applications:

- •Industrial/Medical/Veterinary Inspection
- •Electronics/mechanical quality control •Scientific teaching tool •School Research tool • Laboratory analysis • Chemical
- Metallographic analysis •etc.





Chigital Wi-Fi Microscopes

	USB & Wi-Fi Digital Camera Features			
	Camera Type:	Color CMOS Camera		
	Sensor:	1/4" Imax CMOS		
	Resolution:	1.3M Pixel		
	Image pixel:	320(H)x 240(V),640(H)x 480(V), 1280(H)x1024(V)		
	Frame rate:	15fps (1280x1024), 30fps(640x480),30fps (320x240)		
Ι	Image Quality	Highest Definition		
	Lens Standard:	C-CS mount CCTV lens		
Camera	Optical features:	Gamma Correction: Auto		
her		Exposure: Auto		
9		White Balance: Auto		
		Black Reference: Auto		
		Flicker Avoidance: Auto		
		Defect Identification: Auto		
		Color Saturation: Auto		
	Button Snapshot:	Yes for WiFi and USB mode		
	Dimension:	36mm(Diameter) x 75mm(Length)		
	Wi-Fi Standard:	IEEE 802.11 b/g/n		
	Wi-Fi Transmission	1>5M		
	Distance:			
<	Video resolution:	1.3MP: 320(H)x 240(V),640(H)x 480(V), 1280(H)x1024(V)		
Wi-Fi	Frequency Range:	2.400 ~ 2.4835GHz		
_::	Li-ion Battery:	Continuous Working Time—Appx.2.5 Hours		
	Power Source:	5V/1A or USB (Please use ONLY usb wall adaptors that are certified		
		according the CE and/or FCC regulations)		
	OS support:	IOS / Android/ Windows /Mac.		
	Interface:			
USB		1.3MP: 320(H)x 240(V),640(H)x 480(V), 1280(H)x1024(V)		
B	OS support:	MAC/Windows		
	MiniUSB Cable:	1.2M		

SOFTWARE

Mic-Fi per Windows 7/10 & MAC OS X 10.7 and following

APP

Mic-Fi per iPhone, iPad, Android Tablet & Smartphone

Package includes:

- USB & Wi-Fi Mic-Fi Digital Camera
- USB AC adapter
- USB cable
- Calibration ruler
- Quick manual
- n.1 MICFIEYERING



ACCESSORIES not included

Code	Description	
MICFIEYE23	Standard Lens - 23mm	
	Microscope adapter 30mm	
	Microscope adapter 30,5mm	¹³ Smmc-mount
MICFIEYEF18 MICFIEYEF1525	C-Mount F18 C-Mount F15-25	
MICFIEYERING	Ring adapter 5mm	0

Designed in Italy Manufactured in China